

JUL 1 5 2004 W

Tsutomu TAKAYAMA, et al. Q80694
Filed: March 30, 2004 A/U: 2833
Serial No. 10/811,977 Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 1 of 52





Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 2 of 52

2/52




Filed: March 30, 2004 A/U: 2833
Serial No. 10/811,977 Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability of Press Contact Terminal
Sheet 3 of 52







5 / 52



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 6 of 52

6/52





Tsutomu TAKAYAMA, et al. Q80694
Filed: March 30, 2004 A/U: 2833
Serial No. 10/811,977 Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: "Method and Apparatus of Determining Acceptability of Press Contact Terminal
Sheet 7 of 52

7 / 52

FIG. 8






FIG. 9





Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability of Press Contact Terminal
Sheet 8 of 52

8 / 52




Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
För: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 9 of 52






Tsutomu TAKAYAMA, et al. Q80694
Filed: March 30, 2004 A/U: 2833
Serial No. 10/811,977 Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability of Press Contact Terminal
Sheet 10 of 52






Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 11 of 52

11/52





Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 12 of 52

FIG. 16





FIG. 17



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 13 of 52

13 / 52

FIG. 18





FIG. 19



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 14 of 52

14 / 52

FIG. 20





FIG. 21




EXPANSION AMOUNT BETWEEN SIDE WALLS (DISPLACEMENT OF PRESS CONTACT BLADES)

Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 15 of 52

15/52

FIG. 22




EXPANSION AMOUNT BETWEEN SIDE WALLS (DISPLACEMENT OF PRESS CONTACT BLADES)

Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 16 of 52

16 / 52

FIG. 23



Tsutomu TAKAYAMA, et al. Q80694
|Filed: March 30, 2004 A/U: 2833
| Serial No. 10/811,977 Conf. No.: 3001
|SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
|For: Method and Apparatus of Determining Acceptability
| of Press Contact Terminal
| Sheet 17 of 52

FIG. 24





FIG. 25



Tsutomu TAKAYAMA, et al. Q80694
Filed: March 30, 2004 A/U: 2833
Serial No. 10/811,977 Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 18 of 52

18 / 52

FIG. 26






FIG. 27



EXPANSION AMOUNT BETWEEN SIDE WALLS (DISPLACEMENT OF PRESS CONTACT BLADES)


Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 19 of 52

19/52




Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 20 of 52

20 / 52




Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 21 of 52

21 / 52





Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability of Press Confact Terminal
Sheet 22 of 52



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 23 of 52

FIG. 32





Tsutomu TAKAYAMA, et al. Q80694
Filed: March 30, 2004 A/U: 2833
Serial No. 10/811,977 Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
'of Press Contact Terminal
Sheet 24 of 52

FIG. 34






FIG. 35



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 25 of 52


25 / 52

FIG. 36




Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability of Press Contact Terminal
Sheet 26 of 52

26 / 52



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability of Press Contact Terminal
Sheet 27 of 52

27 / 52



Tsutomu TAKAYAMA, et al.

Filed: March 30, 2004

Serial No. 10/811,977

SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694

For: Method and Apparatus of Determining Acceptability

of Press Contact Terminal

Sheet 28 of 52

28 / 52





FIG. 39

Tsutomu TAKAYAMA, et al.


Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability of Press Contact Terminal
Sheet 29 of 52


29 / 52




Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 30 of 52


30 / 52






Serial No. 10/811,977 Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability of Press Contact Terminal
Sheet 31 of 52





Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 32 of 52


FIG. 45



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
"of Press Contact Terminal
Sheet 33 of 52


33 / 52

FIG. 46




Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 34 of 52

34 / 52




35 / 52



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 36 of 52

FIG. 49



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparants of Determining Acceptability
of Press Contact Terminal
Sheet 37 of 52

FIG. 50





FIG. 51



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 38 of 52

FIG. 52





FIG. 53



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 39 of 52

FIG. 54






FIG. 55




Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability of Press Contact Terminal
Sheet 40 of 52

40 / 52



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 41 of 52


41 / 52



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 42 of 52

42 / 52

FIG. 58



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability of Press Contact Terminal
Sheet 43 of 52

FIG. 59





FIG. 60



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Gontact Terminal
Sheet 44 of 52

FIG. 61






FIG. 62




Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 45 of 52

45 / 52



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 46 of 52


46 / 52



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 47 of 52


47 / 52

FIG. 65




Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 48 of 52

48 / 52



Tsutomu TAKAYAMA, et al. Q80694
Filed: March 30, 2004 A/U: 2833
Serial No. 10/811,977 Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Confact Terminal
Sheet 49 of 52


49 / 52



Tsutomu TAKAYAMA, et al.
Filed: March 30, 2004
Serial No. 10/811,977
Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 50 of 52

50 / 52

FIG. 68



Serial No. 10/811,977 Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability
of Press Contact Terminal
Sheet 51 of 52

FIG. 69





FIG. 70



Tsutomu TAKAYAMA, et al. Q80694
Filed: March 30, 2004 A/U: 2833
Serial No. 10/811,977 Conf. No.: 3001
SUGHRUE Tel. No. 202-293-7060; Ref No.: Q80694
For: Method and Apparatus of Determining Acceptability of Press Contact Terminal
Sheet 52 of 52

FIG. 71

